

## SECTION 10 28 13

### TOILET ACCESSORIES

#### PART 1 GENERAL DESIGN GUIDELINES

- A. In most locations; Brown uses electric hand dryers and no paper towels. In some buildings, paper towels are also required; review with Brown Project Manager.
- B. Provide a hose bib at 18" AFF in toilet rooms. And floor drains located near toilets (most frequent overflow issue).
- C. Locate Mirrors enough above sinks to minimize splash-back (mirror constantly looks dirty in those situations).
- D. Provide blocking as required for each item.

#### PART 2 PRODUCTS

##### 2.1 MATERIALS

- A. Toilet and Bath Accessories: Furnished by Brown University for installation by Contractor.
  - 1. Toilet Tissue Dispenser: Dual Roll GP56784 dual roll, GP56744 quad roll, with GP compact coreless bath tissue.
  - 2. Towel Dispenser: GP "Soft Pull" 59489. Do not install unless approved by Brown Project Manager (ie not normally installed when electric hand dryers are used).
  - 3. Soap Dispenser: GOJO CX 8500-01 (counter mount); GOJO FMX 5250-06 (wall mount).
  - 4. Shower Soap Dispensers: review current preference with Director of Custodial Services.
- B. Toilet and Bath Accessories: Furnished and installed by Contractor.
  - 1. Grab Bars: Bobrick B-6806.99 Series, 1-1/2 inch diameter, satin finish, 1-1/2 inch wall clearance, concealed mounting with snap flange, stainless steel, peened grip.
  - 2. Mirrors: Bobrick B-290 stainless steel framed mirrors, sizes as indicated on the Drawings.
  - 3. Napkin/Tampon Vendor, 50 cents, Surface Mounted, Bobrick B-2706, stainless steel.
  - 4. Sanitary Napkin Disposal, Surface Mounted, Bobrick B-5270 or B-254, stainless steel.
  - 5. Seat Cover Dispenser – generally not provided
  - 6. Electric Hand Dryers: XLERATOR by Excel.
  - 7. Baby Changing Station: Koala Kare Products Horizontal Surface-Mounted Baby Changing Station, plastic liner and stainless steel cover and frame. KB200-00 or KB 110-SS. Can be recessed.
  - 8. Shower Seats – Bobrick 5191-DB
  - 9. Waste Receptacle – Bobrick B-3644 or B-43644 (curved).

#### PART 3 EXECUTION

- A. Electric Hand Dryers
  - 1. Test and verify operation. The source electrical panel and circuit shall be labeled at the dryer for reference.

END OF SECTION